
1. (20 pts) Parts (a) and (b) are not related.

(a) For 
$$f(x) = \frac{1}{x-1}$$
 and  $g(x) = \sqrt[D]{2-x}$ 

(b) The graphs below depict the functions y = p(x) and y = q(x), where q is a transformation of p of the form q(x) = ap(bx). Find the values of a and b.



## Solution:

The vertical difference between the maximum and minimum values of the curve for p(x) is 3 (5) = 8, while the vertical difference between the maximum and minimum values of the curve for q(x) is 1:5 (2:5) = 4. Therefore, the curve for q(x) has been constructed by applying a vertical contraction of a factor of 2 to the curve for p(x). This implies that a = 1 = 2

The horizontal difference between the endpoints of the curve for p(x) is 5 (3) = 8, while the horizontal difference between the endpoints of the curve for q(x) is 10 (6) = 16. Therefore, the curve for q(x) has been constructed by applying a horizontal expansion of a factor of 2 to the curve for p(x). This implies that b = 1 = 2

Note that q(x) = 0.5 p(0.5x).

(b) 
$$\lim_{x/2} \frac{P_{\overline{X}+1} - P_{\overline{3}}}{X^2 + X - 6}$$

## Solution:

Begin by multiplying the numerator and the denominator by the conjugate of the original numerator expression.

$$\lim_{x/2} \frac{P_{\overline{X+1}} \quad P_{\overline{3}}}{x^2 + x \quad 6} = \lim_{x/2} \frac{P_{\overline{X+1}} \quad P_{\overline{3}}}{x^2 + x \quad 6} \quad P_{\overline{X+1}+P}^{\overline{3}} = \lim_{x/2}$$

$$= \lim_{x/2} \frac{[(1/m)]T \quad Tf \quad 31 . \quad 81 \quad 1.4. \quad 32Tf \quad 06. \quad Td959p}{[(1/m)]T \quad Tf \quad 31 . \quad 81 \quad 1.4. \quad 32Tf \quad 06. \quad Td959p}$$

$$3x^2 + 21$$

(c) Find the equation of each vertical asymptote of y = r(x), if any exist. Support your answer in terms of your work in part (b).

## Solution:

The finite value of  $\lim_{x/} r(x) = \frac{9}{8}$  determined in part (b) indicates that there is no vertical asymptote at x = 5.

The infinite limits  $\lim_{x/3} r(x) = 1$  and  $\lim_{x/3^+} r(x) = 1$  were determined in part (b). Either one of those limits being infinite is sufficient to conclude that the line x = 3

- 4. (20 pts) Parts (a) and (b) are not related.
  - (a) For what value of a is the following function u(x) continuous at x = 4? Support your answer using the definition of continuity, which includes evaluating the appropriate limits.

$$u(x) = \begin{cases} \frac{x}{x^2} & \frac{4}{16} \\ \frac{1}{a + x} & \frac{1}{x} \\ \frac{1}{a + x} & \frac{1}{x} \end{cases}$$

## Solution:

By the definition of continuity, u(x) is continuous at x = 4 if  $\lim_{x \neq 4} u(x) = \lim_{x \neq 4} u(x) = u(4)$ .

$$\lim_{x \neq 4} u(x) = \lim_{x \neq 4} \frac{x}{x^2} \frac{4}{16} = \lim_{x \neq 4} \frac{x}{(x-4)(x+4)} = \lim_{x \neq 4} \frac{1}{x+4} = \frac{1}{4+4} = \frac{1}{8}$$

$$\lim_{x/=4^+} u(x) = \lim_{x/=4^+} \frac{1}{a - x} = \frac{1}{a - 4}$$

$$u(4) = \frac{1}{a - 4}$$

Therefore, u(x) is continuous at x = 4 if  $\frac{1}{8} = \frac{1}{a-4}$ , which occurs when a = 12