APPM 3570/STAT 3100 Exam 3 Fall 2022

NAME: ____________________________________

SECTION: 001 at 9:05 am

Instructions:

1. Notes, your text and other books, cell phones, and other electronic devices are not

(b) The number of calories in a cheeseburger on the lunch menu is approximately normally distributed with a mean of 434 and a variance of 49.

   (i) What is the probability that a randomly chosen cheeseburger will contain more than 420 calories?

   (ii) Alex orders 8 cheeseburgers for a party. Assuming independence, find the probability that the total calories in the 8 cheeseburgers will exceed 3,450.

   (iii) If the 8 cheeseburgers are served one at a time to 8 guests, what is the probability that the first guest to be served a cheeseburger with over 420 calories is the seventh guest? Explain.

(c) Suppose the number of foreign fragments in a portion of peanut butter is a random variable with a mean of 3 and a variance of 3. Suppose a random sample of 50 portions of peanut butter are collected and the average number of foreign fragments in a portion is calculated. What is the probability of observing an average of 3.6 or more fragments?

Problem 2. (28 points) Let (X, Y) be jointly distributed random variables with conditional pdf given by:

$$f_{Y|X}(y|x) = \begin{cases} \frac{2y}{x^2} & 0 < y < x \\ 0 & \text{otherwise} \end{cases}$$

and marginal pdf of X given by:

$$f_X(x) = \begin{cases} 5x^4 & 0 < x < 1 \\ 0 & \text{otherwise} \end{cases}$$

(a) Find the joint pdf of X and Y.

(b) Find the marginal pdf of Y.

(c) Find $E[Y|X]$ and use it to find the expectation of Y.

(d) Find $\mathrm{Cov}(X, Y)$.

Problem 3. (18 points) If X and Y have the following joint pdf, compute the joint density of $U = \frac{X}{Y}$; $V = Y$:

$$f_{X;Y}(x;y) = \begin{cases} 2 & 0 < x < y < 1 \\ 0 & \text{otherwise} \end{cases}$$

Problem 4. (26 points) Recall that if X Exp( ); then $E[X] = 1=$ and $\mathrm{Var}(X) = 1= {}^2$:

Recall that if Y Unif(0; 1); then $E[Y] = 1=2$ and $\mathrm{Var}(Y) = 1=12$:

Mason has 200 batteries whose lifetimes are independent exponential random variables, each with a mean of 4 hours.

(a) If the batteries are used one at a time, with a failed battery being replaced immediately by a new one, approximate the probability that there is still a working battery after 810 hours.

(b) Suppose that the time it takes (in hours) to replace a failed battery is uniformly distributed over (0, .8), independently. Approximate the probability that all batteries have failed before 1000 hours have passed.

Bonus Problem. (3 points) Let X be a random variable with mean 50 and variance 25. If X is the number of cars produced in a week at a particular auto manufacturing plant, nd a lower bound on the probability that the production of cars in a week is between 30 and 70.

Standard Normal Cumulative Probability Table



Cumulative probabilities for POSITIVE z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998